







We have been associated with the equine field for more than 40 years. Our headquarters are in l'Aigle, which is located in Normandy, France, the center of trotter and thoroughbred breeding. As such, we collaborate and partner closely with equine reproduction professionals in research, technical support and product development.


Several partnerships with INRA, National Horse Stud, veterinary universities and foreign universities in conjunction with our R&D team provide you with the most current experience, information and products.


Our **international network**, through subsidiaries in the United States, Italy, India, China, Netherlands and agents in over 120 countries offers unmatched knowledge of foreign markets and their respective differences.

Our goal is to provide veterinarians with **high-quality products** to make their job easier. We offer a full range of products and services, including **semen collection**, **insemination**, **examination**, **preservation**, **packaging**, and **embryo transfer**.

This catalogue demonstrates our commitment to the Equine Breeding Industry to further genetic improvement.








Equine semen analysis & processing


023878 Max. 4 people.



- DVM's, academics, breeding technicians.
- (\) 1 day.
- IMV Technologies R&D France.

Advanced equine reproduction workshop


023879 Max. 4 people. **023880** Max. 8 people.




DVM's, academics, breeding technicians.

(l) 2 days.

023879 National Stud Haras du Pin (IFCE),
IMV Technologies R&D - France.
023880 At customer location, after purchase of equipment.







Semen collection is one of the most important step of Al. A higher quality of semen is collected when the stallion is at ease and comfortable with the dummy mare. I.M.V.'s unit is designed with the comfort of the stallion in mind, and at the same time provides the security desired by the handler.

Dummy mare lateral collection - 017553

Manufactured in galvanized steel and covered with leather and rubber padding weighing approximately 350 kilos. Easy to clean and disinfect between collections. Left or right opening.

Minimal height: 1400 mm Maximal height: 1600 mm.

Dummy mare central collection - 021927

Mounted on galvanized hydraulic monopod

Minimal height: 1400 mm Maximal height: 1600 mm.

MV offers you the INRA and Missouri vagina models. You will need to determine what your stallion's preferences are with regards to pressure, temperature, type of artificial vagina, etc. You may have to experiment to get the artificial vagina to the stallion's preferences.

Missouri Artificial Vagina - 025599

■ Includes a leather container, a liner with a filling system, two vases, a felt protective sleeve, and an imitation leather protective sleeve.



INRA Artificial Vagina - 021933

- Includes the body itself, a (thin) outer liner, a (thick) inner liner, and a cone,
- Detachable/adjustable cone allows for the use of a single artificial vagina for many different stallion sizes. This also reduces the amount of direct stimulation to the glans penis during collection,
- Extremely lightweight (1.8 lbs.) with double handles, allowing the handler to easily transition during the collection process,
- The universal filling nozzle lets users fill directly under a faucet.

MISSOURI RELATED PRODUCTS

024260 Roll of 550 ml sleeve (to cut for artificial vagina) 006639 Protective muff

005174 Disposable liner without filter (10)

005125 Semen filter vagina (25)

005175 Disposable liner with filter (10)

026863 Filters Ø 240 mm (250)

025993 Alcohol thermometer -10 +110°C

MISSOURI ACCESSORIES

025598 Double wall liner 67 cm

007002 Collection bottle with cap (3) 005158 Protective cover in synthetic leather

005159 Protective felt cover

023917 B-LUBE gel 500 ml flask (8)

INRA RELATED PRODUCTS

005644 Whirl-pack 177 mL (100)

005134 Glass collection bottle 100 mL (3)

017585 Disposable liner (50)

005125 Semen filter vagina (25)

026863 Filters Ø 240 mm (200)

INRA ACCESSORIES

021937 INRA vagina body alone

005200 Cone


005177 Outer liner (thin)

005176 Inner liner (thick)

019265 Rubber (4)

023917 B-LUBE gel 500 ml flask (8)





Flow cytometric analysis: EasyCyte

Bench-top flow cytometer for semen analysis.

Benefits of IMV's flow cytometry solution:

- High accuracy
- Traceability
- Easy-to-use technology
- Speed

- Automated morphology
- Flexibility
- Standardization
- Multiple languages

A journey inside the cell:

- Proprietary ready-to-use protocols
- Intuitive software packages (Cytosoft and Easysoft)
- Scientific technical support





EasyCyte 5HT Plus - 022841

EasyCyte 5HT Mini - 022843

Basic Easycyte II Plus - 022842

Basic Easycyte II Mini - 022844

EasySoft and EasyComDNA software - **024842**

EasySoft Software - 025379

EasyCyte Plus and Mini - installation training - 2 days - 026348

Accessories for EasyCyte

024708 EasyKit Viability and Concentration

024864 EasyKit Mitochondrial Activity

025157 EasyKit Oxidation Molecule D

025293 EasyKit Viability and Acrosome Integrity

025402 EasyKit Bacterial Count

024760 EasyClean washing solution

022162 EasyBuffer A 100 ml flask (4)

025438 EasyBuffer C 100 ml flask (4)

023066 EasyCyte check kit

022845 Flow Cell Capillar for EASYCYTE II PLUS

022846 Flow Cell Capillar for EASYCYTE II Mini

023066 Easy Check kit for EASYCYTE II Mini and Plus

Computer assisted sperm analysis systems: IVOS II and CEROS II

Measured sperm parameters

- Counts: Concentration, motility, and morphology
- ➤ Velocities: Average path (VAP), curvilinear (VCL), and straight line (VSL)




- Motion parameters: Linearity (LIN), straightness (STR), beat cross frequency (BCF), lateral head displacement (ALH), wobble (WOB)

 Automatic morphology: Proximal and distal droplets, bent and coiled
- → Automatic morphology: Proximal and distal droplets, bent and coiled tails and distal midpiece reflexes (DMR)









Leja® slides are high quality disposable counting chambers especially made for semen analysis. Due to its characteristics, Leja® slides will save time performing semen analysis, as well as increase the level of accuracy and precision. Your results can be compared to other laboratories, which allows combining scientific data concerning the relationship between semen parameters (concentration, motility, viscosity) and fertility.

Pre-calibrated counting chambers FOR IVOS II AND CEROS II

Leja 4 chamber slides (4x25) - **025107** Leja 8 chamber slides (4x25) - **025108**

- Non-spermicide
- Accurate and consistent chamber depth (20 microns)
- Easy-to-use
- → Available with 4 or 8 chambers per slide

Three quality control stages per batch:

- Chamber height
- Eighteen point visual inspection
- Bio compatibility

PHOTOMETRIC ANALYSIS

Microscopes

TRINOCULAR OBJECTIVES 10X - 20X - 40X
Trinocular microscope Nikon with warm stage PHC ACH - **024374**36 cm monitor with color camera - **016513**

BINOCULAR OBJECTIVES 10X - 20X - 40X
Binocular microscope with warm stage PHC - **023939**Binocular microscope Nikon with warm stage ACH - **016744**

Microscopes accessories

023940 Slide warmer for 12 tubes 023941 Slide warmer for 40 tubes 005530 Pipette P20 from 2 to 20 μ l 005208 Tips for pipette P20 and P200 (1 000)

Consumables for microscopes

005795 Slides 76x26 (500) 006557 Cover slides 18x18 (1 000) 005760 Cover slides 22x22

AccuCell - 014435

An easy-to-use photometer for the direct assessment of semen concentration using a quadratic equation. Unit also calculates diluent volume and total number of doses.

■ Available with dilutor - 012927

→ With RS232 connection.



AccuRead - 019954

An easy-to-use, lightweight photometer for the direct assessment of sperm concentration. Results can be displayed as concentration or absorbance. Operates on both AC and battery.

→ With RS232 connection.



Manual counting (hemacyometer)

005671 Manual counter

005786 Thoma cell, double squaring

020105 Slides 22x22 mm (2x10)

005760 Cover slides 22x22

017840 8ml flask immersion oil for microscope



Photometers accessories

023726 Equine dilutor

006452 Semen sampling mini tube (1 000)

014441 Printer with cable for photometers

005378 Paper roll for photometers (10)

023726 Dilutor



Balance

Balance 610g - Accuracy 0,01g - 005939
Balance 2100g - Accuracy 0,01g - 023042
Balance 3kg - Accuracy 0.1g with - 022375
Balance 15kg - Accuracy 0.5g - 022126

Waterbath

45L water bath - 005727
30L water bath with stand for flasks & tubes - 007227
Support for 16 baby flasks - 008325
14L water bath stainless steel with cover - 005730
7L water bath stainless steel with cover - 005731
Pyrex baby flasks 220ml with caps (24) - 020177

Water distiller

Glass distiller 7L / hour - 005739

Glassware

100ml graduated Pyrex test tube - 005874 10ml 1/10 graduated Pyrex pipette - 005876 2L Pyrex Erlenmeyer large opening - 005916

Extender centrifuge

Centrifuge with rotor 6 holders 50ml - 021567 Sterile tubes with plug 50ml (50) - 020102 Red holder for 3x3 tubes 50ml - 015609 Tube stand - 013764

Sterilizers and incubators

53L stainless steel incubator 30-70°C - 024930 108L stainless steel incubator 30-70°C - 024932 256L stainless steel incubator 30-70°C - 024933 53L stainless steel sterilizer 220°C - 024931 108L stainless steel sterilizer 220°C - 005732 256L stainless steel sterilizer 220°C - 005736 2,5 bar autoclave 130L - 005808

PH metre


PHmetre 720 with sensor SENTIX 41 - 023041



Many breeders and studs have trusted the efficiency of INRA 96 for years. Thanks to its high performance, an estimated three million foals have been born since its introduction.



PREGNANCY RATE / CYCLE AT DAY 14



Ejaculates collected from 13 stallions

DELAYED INSEMINATION IS SUCCESSFUL WITH A NEW EXTENDER FOR STORING FRESS EQUINE SEMEN AT 15°C UNDER AEROBIC CONDITIONS

F. Batellier, G. Duchamp, M. Vidament, G. Arnaud, E. Palmer, M. Magistrini

Theriogenolology 50:229-236, 1998

Fresh & cooled semen extender

INRA 96 200 mL bottle - 016441

- Improves preservation and maintains the fertility potential of fresh and cooled equine semen for up to 72 hours,
- → Sterile and ready-to-use in a liquid presentation. No need to source or manage individual components or antibiotics,
- Contains only the purified fraction of milk micellar proteins, which have proven favorably to protect semen cells, especially in stallions with various fertility issues,
- → Only extender proven to protect semen cells at 15°C, for stallions that are affected by cold shock induced by reducing the temperature to 4°C.
- INRA 96 can be used at temperatures of both15°C and 4°C, in line with requirements and depending on stallion semen quality...

Results

- ► From the 13 stallions collected, 9 stallions performed better or equal, when extended in INRA 96 at 15°C.
- Semen stored for 24 hours using INRA 96 at 15°C significantly improved pregnancy rate per cycle, when compared with traditional milk-based extenders at 4°C.

Protection against bacterial and fungal contaminants

INRA 96 is formulated with an advanced antibiotic and antifungal complex of Penicillin, Gentamycin and Amphotericin B.

Frozen semen extender

INRAFreeze kit - 022110

- Sterile and ready-to-use in a liquid presentation. No need to source or manage individual components or antibiotics,
- ► Formulated using the purified fraction of milk micellar proteins, sterilized egg yolk plasma and glycerol (INRA Freeze) to allow ample protection to sperm cells,
- ► Published research results state that the use of sterilized egg yolk plasma and glycerol (INRAFreeze) increases fertility results with a 35% or higher motility post-thaw,
- Each kit includes two 200 ml bottles of INRA 96, two 120 ml bottles of INRAFreeze and one 20 ml bottle of MaxiFreeze.
- → Allows for freezing of more stallions (+30% more straws)


Kit with two 200 mL bottles of INRA 96 and two 120 mL bottles of INRAFreeze - 022330





MaxiFreeze 100ml bottle - 019269

- → High rate (99%) of sperm recovery after centrifugation,
- → Prevents the formation of a compact pellet at the bottom of the centrifugation tube.
- → Significant reduction in the deterioration of spermatozoa during the centrifugation process.





Resulting from 9 patents, this new concept blends leading-edge technology and intelligence, guaranteeing perfect packaging every time. It's more than a straw-filling machine; it's a revolution.

Straw filling and sealing machines: ISevo Alpha

ISevo Alpha's star feature: automated verification of the plug's moisture level.

- The equipment pauses if the plug is not filled to a safe level.
- → Visual control from a distance with on-board USB camera.
- Touch-screen for: 1x1, 2x2, 4x4, automatic 4->1 switchover, sequential priming and on-the-fly changeover.
- ► Five features designed for semen-saving.
- Disposable needles with oriented slots for maximum cleanliness.





ISevo Alpha medium non-integrated 220 V - 027784

ISevo Alpha medium integrated without jet print 220 V - 026979

ISevo Alpha medium integrated with jet print 220 V - 027035

The semen of horses with exceptional DNA fetch a higher value. For this animal, the straw processing business has to be adapted. To answer some of these challenges, we have engineered and designed GENOM'X TM : feature-packed, the most striking advantage of this machine is its ability to produce up to 10% more straws than conventional filling equipment. GENOM'X TM pre-fills the factory plug with sperm-free media thus leaving the rest of the volume of the straw completely for the extended semen. This precise filling results in preventing valuable cells from being lost, virtually making the entire filled volume inseminated.

Straw filling and sealing machines: GENOM'X

GENOM'X 0% absorption - 023845
GENOM'X 0% absorption with Jet Printer Domino A420I - 026943

Accessories

023664 Pressurizing tube GENOM'X

023712 Sinker needle for 0%

023713 Needle 0% length 22 mm

023714 Needle 0% length 24 mm 023715 Needle 0% length 26 mm

023716 Needle 0% length 28mm

023718 2 way filling needle holder for 0%

023665 Silicone tube 0% (6)

023668 Straws receptacle 0%

007703 Medium long filling nozzle (10)

007705 Medium short suction nozzle (10)

025430 Semen suction cone V2 (4x65)

007329 Flexible tube for GENOM'X - Ig 450 (1 200)

023667 Filled straws hopper GENOM'X

023670 Medium straws hopper GENOM'X



Same Structural Quality! Improved Operation & Reliability. 40 years in service!

Straw filling and sealing machines: MRS1 v2 dual - 022989

- Reliable, easy-to-operate straw filler and sealer
- → Adjustable mechanical stop allows user to preset the number of filled and sealed straws
- → Fills and seals up to 3,600 straws per hour
- Works at room temperature or 4°C



007006 Suction pump and filter (included with 022989)

007825 MRS pump connection tube (2) (included with 022989)

022889 100 medium straws carrier for MRS1 V2

022890 Medium straws carrier for MRS1 V2

022891 40 medium straws carrier for MRS1 V2

000012 Joint white rubber (5,5 meters)

026975 Medium single disposable filling nozzle (500)

007703 Medium long filling nozzle (10)


007705 Medium short suction nozzle (10)

005564 Flexible tube for semen filling (20x60)

006451 Semen sampling medium tube (1 000)

025430 Semen suction cone V2 (4x65)

010240 Tightness plug for MRS (5 000)







Cabinet

- → Horizontal tropical cold cabinet 026620
- ► Vertical tropical cold cabinet 018544





Sraw identification

- Jet domino A420I with distributor G10 (mini and medium) 026601
 - user friendly,
 - · easy to clean
 - requires minimal maintenance
 - speed: 18,000 straws per hour



Accessories

022390 Windows jet printer software

Straws

Our patented Alpha straw enables automatic control of the plug's moisture level, helping to prevent potential losses during thawing. Its colored plug turns fluorescent when correctly moist.

■ Alpha medium straws

026182 Clear

026183 Pastel pistachio

026259 White

026184 Sensitemp blue



■ Medium straws

005569 Clear

005702 Red

005568 Green

005703 Parma

005707 Yellow

005715 Salmon

005711 Putty

005746 Pistachio

005712 Pink

005709 Pastel red

005710 Pastel green

005697 Pastel blue


005698 Grey

005590 Pastel yellow

005685 Pastel orange

020201 Pastel pistachio







The age-old process of direct freezing over liquid nitrogen vapor, creates a freezing curve that is difficult to control and can result in poor reproducibility. The Digitcool's programmable freezing process allows the user to customize and control each temperature holding or lowering phase in accordance with sample requirements. It offers simple, repeatable and reliable, solutions.

Automatic freezing - Digitcool range controlled rate freezers

■ Mini-Digitcool for 24 racks - 007263 Up to 1,392 medium straws 220V/50Hz/10A

■ Micro-Digitcool for 6 racks - 007261
Up to 240 medium straws
220V/50Hz/6A

■ Nano-Digitcool - 024804 Up to 33 medium straws 220V/50Hz/8A

Manual Freezing

007137 Straw basket - small type

007142 Straw basket - large type

007126 Pit basket

007133 Pit canister 2 levels


007134 Pit canister 3 levels

007125 Funnel

007124 Divider for funnel

007127 Stand for 65 mm goblet

007136 Work basket 3 places for 65 mm goblets





Canisters

007147 2 layer plastic canister with lifter (10)

007148 3 layer plastic canister with lifter (10)

007149 4 layer plastic canister with lifter (10)

007150 5 layer plastic canister with lifter (10)

007151 6 layer plastic canister with lifter (10)

Identifiers and flags

007145 Metallic identifier without flag (100)

007328 Flag for canister lifter white (20x10)

015700 Flag for canister lifter red (20x10)

015696 Flag for canister lifter dark green (20x10)

015697 Flag for canister lifter turquoise (20x10)

015706 Flag for canister lifter grey (20x10)

015699 Flag for canister lifter purple (20x10)

015693 Flag for canister lifter yellow (20x10)

015695 Flag for canister lifter pink (20x10)

015698 Flag for canister lifter orange (20x10)

015694 Flag for canister lifter salmon (20x10)

014175 Set of two indelible black markers for straw identification (2 sets)

Containers

005215 Container 2 liters - 3 canisters - 1 level - ø 26 mm

005213 Container 9 liters - 6 canisters - 1 level - ø 38 mm

005227 Container 35 liters - 6 canisters - 2 levels - ø 65 m

015570 Container 38 liters - 10 canisters - 2 levels - ø 65 mm

005228 Container 40 liters - 10 canisters - 2 levels - ø 73 mm

024505 Container Arpege 75 - 72 Liters - 21 canisters - 4 levels

005904 Container 400 liters - 163 canisters not included - 2 or 3 levels - ø 69 mm



Goblets and visotubes


	Goblet (X50)				Hexagonal visotube (X150)	Polygonal visotube (X300)	Round Visotube (X300)				
	65 mm	53 mm	42 mm	35 mm			7,1 mm	9,2 mm	10 mm	12 mm	13 mm
Clear	006418	006913	006915	006934	006875	006401	006658	006421	005561	006677	006420
Red	006397				006398	006622	006441	006668	006392	006408	006404
Green	006754				006394	006623	006659	006390	006406	006679	006413
Blue	006755				006409	006620	006399	006400	006422	006678	006395
Purple	006757				-	-	006661	-	-	-	-
Yellow	006756				006414	006624	006412	-	006402	006695	006411
Pistachio	006753				-	-	006407	006423	006672	-	-
Orange	-				006405	006624	006662	-	006673	006683	006689
Pink	-				-	-	-	006667	006403	-	-
Straw capacity	360	265	150	100	150	300	2	5	6	9	11



■ 137mm identification rods /100

006762 Medium white 006331 Medium yellow 006763 Medium red 006876 Medium pink 006773 Medium pistachio 006774 Medium grey 006775 Medium orange







Fresh semen preservation and transport

Equitainer - 005096

Accessories

005644 Whirl-pack 177 mL (100) 005260 Coolant can for Equitainer 005249 Ballast bag for Equitainer (4)

Semen thawing

Straw thawer 12V/220 V with thermometer and basket - 026897

Accessories

018255 Cyto thaw thermometer

005731 7 liter water bath stainless steel with cover

005940 Holder for 20 tubes Ø 20 mm

005926 Stainless steel scissors 13 cm sharp ends

020111 Round sterile bottom tubes 10 ml with cap (250)

005233 Straw cutter







Equine sterile AI catheter (per 150) - **007356**

- → Multifunctional catheter (76 cm) for insemination in the uterine horn
- Increased flexibility facilitates navigation through the mare's uterus, eliminating concern of damage
- Each catheter is individually wrapped and gamma sterilized with a sanitary oversheath.
- A secure silicone connector ensures a tight seal with a variety of syringes

Related Products

024276 Sterilized 20 ml syringe with plunger (8x100)

017313 Sterile LUER plug for syringe 20ml (150)

016065 Aspisem disposable device to fill syringes (100)

019665 Sterile gel OB LUBE 147 mL (6)

023917 B-LUBE gel 500 ml flask (per 8)

Equine sterile AI deep catheter (x 50) - 019839

- Each catheter is individually wrapped and gamma sterilized with a sanitary oversheath.
- → A secure silicone connector ensures a tight seal with a variety of syringes, can also be used with 0,5ml straws
- Must be used with stylet for equine AI deep catheter **019892**
- Ergonomic profile: will help to slide smoothly against the endometrium
- The longest on the market for deep insemination in large size mares





Sanitary Control

70 cm sterile equine swab (50) - 007393

Related products

005610 Disposable speculum length 450 mm (20)

007187 Lumistyl lighting for Rilsan speculum

001495 Bubbler of 2 lamps for Lumistyl (5)

Gloves

Sterile Polytactyl (individually packed, box of 100)

Polytactyl (box of 100)

			027920	S	92 cm
025471	M	100 cm	024228	M	100 cm
024227	L	92 cm	024225	L	92 cm
			027021	ΥI	100 cm

Copolymer (box of 100)

Artificial insemination gloves (box of 100)

027817	S	92 cm	027923	S	92 cm
024185	M	100 cm	026358	M	100 cm
024183	L	100 cm	024199	L	92 cm
027922	XL	100 cm	027924	XL	100 cm

026066 Green Air glove 92 cm, L size (box of 100)

025593 Shoulder protect glove, L size (box of 50)

024372 Red sensitive glove 92 cm, L size (box of 150)

024375 Red sensitive glove 92 cm, L size (neutral box of 150)

024761 Clear super-sensitive glove 100 cm with strip, L size (box of 100)

024765 Clear super-sensitive glove 100 cm with strip, L size (neutral box of 100)

Clothes

024242 Polyethylene overboots with elastic 70 μ (box of 500)

024268 Blue non-woven polyethylene coverall, XL size (box of 50)

024267 Blue non-woven polyethylene coverall, XXL size (box of 50)

024265 Green calving gown 30μ, 1,40 m (box of 200)

024263 Green calving gown 30μ, 1,55 m (box of 200)

025588 Clear calving gown 30μ, 1,40 m (box of 200)

025586 Clear calving gown 30μ, 1,55 m (box of 200)

Tail

. . .

024261 Polyethylene tail guard (box of 500)







■ Embryo collection

005606 Catheter 120 cm for equine embryo flushing

007778 Clip medium bottle - equine catheter

005525 Right Kocher forceps - 16 cm without holders

007312 Equine E.T. gravity set

024372 Red sensitive glove 92 cm, L size, box of 150

007309 Sterilized decanter for equine embryo collection

023917 B-LUBE gel 500 ml flask



Filtration and media

Filtration

017726 EZ filter for ET catheter

Media

022008 EMXCELL embryo collection medium 1 liter

023054 EMXCELL for gravity flush embryo collection medium 1 liter

019450 EUROFLUSH embryo flushing medium 1 liter

026221 Needle 1 for flush by gravity 300x3 mm

026222 Needle 2 for flush by gravity 30x4 mm

017724 Tubing without filter for Foley catheter CH18 or CH20

017725 Tubing with filter for Foley catheter CH18 or CH20

019449 Embryo holding medium 20 ml



Embryo transfer

006430 Flexible ET mini 133 mm straws

005592 Cristal ET mini 133 mm straws

017531 Pack of 2x4 equine D8 ET sterile medium straws

007246 ET syringe for ø 3 mm sheath for uncut straws - deep chamber

006384 ET sheath ø 3 mm with sanitary sheath single packed sterilized

024857 E.T. syringe for D8 equine embryo

017532 Equine D8 ET sterile medium unsplit sheath



Laboratory equipment

023432 Laminar flow cabinet

026412 Bench top incubator BT37 TE/FIV

026688 6 bottes and 6 filters for Planer incubator BT37

023863 Binocular zoom microscope

020108 Radiated plates 4 wells (10)

020107 Radiated plates 6 wells (10)

020103 Radiated plates 12 wells (box of 5)

024605 PETRI radiated plates 100x100x15 (2x10)


022376 Plates radiated PETRI ø 35xh10 mm (20)


014498 Micropipetter

006359 Equine ET micropipette (10x13)

018930 Equine D8 ET micropipette (10x13)

005730 14 liter water bath stainless steel with cover





Pioneer in the portable ultrasonography systems, our Imaging division proposes ultrasound scanners designed for field use: Reproduction diagnosis, Tendon exams, Abdominal exams, Back and vertebral examinations, Ovum Pick Up, Stallion genital tract, Fetal sexing.

EchoTouch

■ Thanks to the new interface system EchoTouch, only the necessary functions are present on the screen, making the work of the user faster and more efficient.

Ovum Pick Up

→ The OPU probe is the result of field request, analysis followed by development and testing by leading veterinarians and technicians in the field of ET and IVF. Our OPU transducer makes ultrasound ovum aspiration easier and more comfortable due to its size, lightweight and field of view.



EchoPad

→ Thanks to the application EchoPad installed on your Ipad, you have access to a second command board for your EXAPAD, it is then possible to pilot your ultrasound scanner remotely.

EchoVoice

→ The embedded software, EchoVoice, gives you voice control over the main functions of the scanner.







IMV Technologies Group

+33 (0) 2 33 34 64 64

www.imv-technologies.com welcome@imv-technologies.com

